

[illegible]

	12	11	10	9	8	7	6	5	4	3	2	1																					
TRAY PACKAGED PER PK-5569-003																																	
PART NUMBER	ENG. NUMBER	CKT. SIZE	PLATING (NOTE 2)	HSG MAT'L	PART NUMBER	ENG. NUMBER	CKT. SIZE	PLATING (NOTE 2)	HSG MAT'L																								
26-01-3127	5569-02A2GS2-210-T	2	15 μ" SELECT GOLD SEE NOTE 2 OPTION "GS2"	94V-0	46999-0013	5569-02A2S-400-T	2	MATTE TIN OVER NICKEL SEE NOTE 2 OPTION "S"	BLACK 94V-0																								
26-01-3128	5569-04A2GS2-210-T	4			46999-0014	5569-04A2S-400-T	4																										
NOT TOOLED	5569-06A2GS2-210-T	6			46999-0015	5569-06A2S-400-T	6																										
NOT TOOLED	5569-08A2GS2-210-T	8			46999-0016	5569-08A2S-400-T	8																										
NOT TOOLED	5569-10A2GS2-210-T	10			46999-0017	5569-10A2S-400-T	10																										
NOT TOOLED	5569-12A2GS2-210-T	12			46999-0018	5569-12A2S-400-T	12																										
NOT TOOLED	5569-14A2GS2-210-T	14			46999-0019	5569-14A2S-400-T	14																										
NOT TOOLED	5569-16A2GS2-210-T	16			46999-0020	5569-16A2S-400-T	16																										
NOT TOOLED	5569-18A2GS2-210-T	18			46999-0021	5569-18A2S-400-T	18																										
NOT TOOLED	5569-20A2GS2-210-T	20			46999-0022	5569-20A2S-400-T	20																										
NOT TOOLED	5569-22A2GS2-210-T	22			46999-0023	5569-22A2S-400-T	22																										
NOT TOOLED	5569-24A2GS2-210-T	24			46999-0024	5569-24A2S-400-T	24																										
26-01-3141	5569-02A2GS3-T	2			50 μ" SELECT GOLD SEE NOTE 2 OPTION "GS3"	94V-2	46999-0538			5569-02A2GS2-400-T	2	15 μ" SELECT GOLD SEE NOTE 2 OPTION "GS2"	BLACK 94V-0																				
26-01-3142	5569-04A2GS3-T	4	46999-0539	5569-04A2GS2-400-T			4																										
26-01-3143	5569-06A2GS3-T	6	46999-0540	5569-06A2GS2-400-T			6																										
26-01-3144	5569-08A2GS3-T	8	46999-0541	5569-08A2GS2-400-T			8																										
NOT TOOLED	5569-10A2GS3-T	10	46999-0542	5569-10A2GS2-400-T			10																										
NOT TOOLED	5569-12A2GS3-T	12	46999-0543	5569-12A2GS2-400-T			12																										
NOT TOOLED	5569-14A2GS3-T	14	46999-0544	5569-14A2GS2-400-T			14																										
26-01-3148	5569-16A2GS3-T	16	46999-0545	5569-16A2GS2-400-T			16																										
NOT TOOLED	5569-18A2GS3-T	18	46999-0546	5569-18A2GS2-400-T			18																										
NOT TOOLED	5569-20A2GS3-T	20	46999-0547	5569-20A2GS2-400-T			20																										
NOT TOOLED	5569-22A2GS3-T	22	46999-0548	5569-22A2GS2-400-T			22																										
NOT TOOLED	5569-24A2GS3-T	24	46999-0549	5569-24A2GS2-400-T			24																										
46999-0001	5569-02A2S-BL-T	2	MATTE TIN OVER NICKEL SEE NOTE 2 OPTION "S"	BLACK 94V-2			46999-0515	5569-02A2G-400-T	2	30 μ" SELECT GOLD SEE NOTE 2 OPTION "G"	BLACK 94V-0																						
46999-0002	5569-04A2S-BL-T	4			46999-0516	5569-04A2G-400-T	4																										
46999-0003	5569-06A2S-BL-T	6			46999-0517	5569-06A2G-400-T	6																										
46999-0004	5569-08A2S-BL-T	8			46999-0518	5569-08A2G-400-T	8																										
46999-0005	5569-10A2S-BL-T	10			46999-0519	5569-10A2G-400-T	10																										
46999-0006	5569-12A2S-BL-T	12			46999-0520	5569-12A2G-400-T	12																										
46999-0007	5569-14A2S-BL-T	14			46999-0521	5569-14A2G-400-T	14																										
46999-0008	5569-16A2S-BL-T	16			46999-0522	5569-16A2G-400-T	16																										
46999-0009	5569-18A2S-BL-T	18			46999-0523	5569-18A2G-400-T	18																										
46999-0010	5569-20A2S-BL-T	20			46999-0524	5569-20A2G-400-T	20																										
46999-0011	5569-22A2S-BL-T	22			46999-0525	5569-22A2G-400-T	22																										
46999-0012	5569-24A2S-BL-T	24			46999-0526	5569-24A2G-400-T	24																										
THIS DRAWING REPLACES DRAWING SDA-5569-NA2*-*																																	
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION DIMENSION UNITS IN/MM SCALE NTS GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>MM</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>±</td><td>±</td></tr><tr><td>3 PLACES</td><td>±</td><td>± 0.0100</td></tr><tr><td>2 PLACES</td><td>± 0.250</td><td>± 0.015</td></tr><tr><td>1 PLACE</td><td>± 0.38</td><td>±</td></tr><tr><td>0 PLACES</td><td>±</td><td>±</td></tr><tr><td>ANGULAR TOL</td><td>±</td><td>3°</td></tr></table> DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS THIRD ANGLE PROJECTION DRAWING C-SIZE SERIES 5569 CURRENT REV DESC: ADD THE VIEW OF MATING HEIGHT STATUS: Production DRWN: Xiao Wei Wang CHK'D: Xiao Wei Wang APPR: Xue Qing Zhang 2026-06-25 2026-06-29 2026-06-29 INITIAL REVISION: DRWN: RJF APPR: FSMITH 1988/02/16 2016/12/20 DOCUMENT NUMBER 55690002-SD DOC TYPE PSD DOC PART 000 REVISION A2 PRODUCT CUSTOMER DRAWING MATERIAL NUMBER SEE CHART CUSTOMER GENERAL MARKET SHEET NUMBER 3 OF 4														MM	INCH	4 PLACES	±	±	3 PLACES	±	± 0.0100	2 PLACES	± 0.250	± 0.015	1 PLACE	± 0.38	±	0 PLACES	±	±	ANGULAR TOL	±	3°
	MM	INCH																															
4 PLACES	±	±																															
3 PLACES	±	± 0.0100																															
2 PLACES	± 0.250	± 0.015																															
1 PLACE	± 0.38	±																															
0 PLACES	±	±																															
ANGULAR TOL	±	3°																															
	12	11	10	9	8	7	6	5	4	3	2	1																					

