

Regularity of nonlinear heat equations

Sukjung HWANG¹

1) *Department of Mathematics, Yonsei University, Seoul, SOUTH KOREA*

Corresponding Author : Sukjung HWANG
sukjungh@yonsei.ac.kr or sukjungh@gmail.com

ABSTRACT

In this talk, I would like to explain the Hölder continuity on local solutions to equations of p -Laplacian type and porous medium type and discuss recent development.

ACKNOWLEDGEMENT

This author was partially supported by Basic Science Research Program through the National Research Foundation of Korea (NRF) funded by the Ministry of Education, Science and Technology (2020R1I1A1A0107011511).

REFERENCES

1. K. Adimurthi, S. Hwang, “Uniform boundedness for weak solutions of quasilinear parabolic equations”, *Proc. Amer. Math. Soc.*, Vol. 148 (2020), pp. 653-665.
2. Y. Chung, S. Hwang, K. Kang, J. Kim, “ Hölder continuity of Keller-Segel equations of porous medium type coupled to fluid equations”, *J. Differential Equations*, Vol. 263, 2017, pp. 2157-2212.
3. S. Hwang, Y. Zhang, “Continuity results for degenerate diffusion equations with $L_t^p L_x^q$ drifts”, arXiv:1906.04961.